

LANDSHARK

P.O. Box 595
Bellevue, Ohio 44811

www.landshark1.com
800.973.5276



BLOWERS

HIGH OUTPUT

Take a Bite out of Your Workload
with the LandShark

Adjustable and Reversible
Handles, Cast Aluminum Impellers
all Models

Removeable Accessory Wand for Cleaning
Cracks and Other Hard to Reach Areas

9 - 14 hp Engines

Model
LSH-9SBRU

CLASSIC



7 - 9 Hp Classic Models



Foot Activated
Wand Control
(optional)




Rubber
Vibration
Handle
Isolator

Flat Free
Tires
Standard

TOW BEHIND

Z - BLOWER



Features:
18 Hp Kohler Command Engine
18" Cast Aluminum Impeller
5 Gallon Fuel Tank
18-8.50 X 8 Wheel Assembly

LANDSHARK

P.O. Box 595
Bellevue, Ohio 44811

www.landshark1.com
800.973.5276



Model PS-2003
Swivel Wheel

Tapered Roller Bearing

Flat Free Wheels Available
on All Models

Model
PS1RN-R-FF

1 Runner
Single Wheel Sulky




Patent Pending
Easy Clean Feature



SULKIES

All Models Shown with
Universal Mounting Bracket

Model PS-100
Fixed Wheel Sulky



Heavy Gage Steel Construction

Heavy Duty Wheel Assemblies
with Heavy Duty Bearings

GRASS CATCHER

Steel GrassCatcher with Exclusive
Mounting System
One Basket fits all Applications Just by
Changing the Mounting Bracket

Formed and Tucked Perf for a
Cleaner Stronger Look

Powder Coat Finish

Model
PFGC-43



TM

LANDSHARK

P.O. Box 595
Bellevue, Ohio 44811

www.landshark1.com
800.973.5276




**Take a Bite out of Your Workload
with the LandShark**

CRACK CLEANER

The LandShark Crack Cleaner is Designed to Clean Cracks and Crevices in Asphalt and Concrete Surfaces. Using the LandShark Crack Cleaner will Prepare your Surface for a Professional Long Lasting Sealant Application.

EDGER

Available with Briggs & Stratton and Honda Engines



Adjustable Depth Control

Heavy Duty all Steel Construction

**4 Wheels for greater Balance and Stability
Steel Hubs with Ball Bearings**



8" Wire Knot Brush

LINE STRIPER

The LandShark Line Striper has Adjustable Line Width and can Accommodate Multiple Can Sizes 12oz - 16oz - 18oz - 22oz



Several Wheel Options Available